

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	((("5257289") or ("5317394") or ("5349676") or ("5448747") or ("5710721") or ("4772876") or ("4983826") or ("5606707") or ("6173388") or ("4369501") or ("4414949") or ("4616326") or ("4770842") or ("4805227") or ("4816208") or ("H000718") or ("4905090") or ("5202675") or ("5223826") or ("5274470") or ("5355165") or ("5565882") or ("5587653") or ("5642148") or ("5696777") or ("5736827") or ("5748895") or ("5771399") or ("5809220") or ("5841549") or ("5877958") or ("5877802") or ("5922058") or ("5937202") or ("5995882") or ("6061092") or ("6088810") or ("6092727") or ("6112132") or ("6116714") or ("6126341") or ("6157982") or ("3675210") or ("4101958") or ("4245343") or ("4264897") or ("4284977") or ("4295167") or ("4296441") or ("4298978")).PN.	USPAT	OR	OFF	2005/05/11 15:56
L2	33	I1 and (temperature\$1 or humidity\$1 or airflow\$1 or external\$1)	USPAT	OR	OFF	2005/05/11 15:57
L3	18	I2 and (measur\$3 or regulat\$3 or analyz\$3)	USPAT	OR	OFF	2005/05/11 16:15
L4	201	(power\$1 or energy\$1) near5 consumption\$1 same (fluid\$1 near5 mass\$1 or hvac\$1 or irrigation\$1 or fuel\$1 near5 distribution\$1 or ventilation\$1 or cooling\$1) same (id\$1 or identification\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:18
L5	0	I4 and interface\$1 near5 (measur\$3 or analyz\$3 or regulat\$4 or adjust\$3) near5 (temperature\$1 or humidity\$1 or airflow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:20
L6	0	I4 and (bus\$1 or serial\$1 or interface\$1) near15 (measur\$3 or analyz\$3 or regulat\$4 or adjust\$3) near15 (temperature\$1 or humidity\$1 or airflow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:21

L7	33	I4 and (bus\$1 or serial\$1 or interface\$1) and (measur\$3 or analyz\$3 or regulat\$4 or adjust\$3) near15 (temperature\$1 or humidity\$1 or airflow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:21
----	----	---	---	----	-----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	((("5257289") or ("5317394") or ("5349676") or ("5448747") or ("5710721") or ("4772876") or ("4983826") or ("5606707") or ("6173388") or ("4369501") or ("4414949") or ("4616326") or ("4770842") or ("4805227") or ("4816208") or ("H000718") or ("4905090") or ("5202675") or ("5223826") or ("5274470") or ("5355165") or ("5565882") or ("5587653") or ("5642148") or ("5696777") or ("5736827") or ("5748895") or ("5771399") or ("5809220") or ("5841549") or ("5877958") or ("5877802") or ("5922058") or ("5937202") or ("5995882") or ("6061092") or ("6088810") or ("6092727") or ("6112132") or ("6116714") or ("6126341") or ("6157982") or ("3675210") or ("4101958") or ("4245343") or ("4264897") or ("4284977") or ("4295167") or ("4296441") or ("4298978"))).PN.	USPAT	OR	OFF	2005/05/11 15:56
L2	33	I1 and (temperature\$1 or humidity\$1 or airflow\$1 or external\$1)	USPAT	OR	OFF	2005/05/11 15:57
L3	18	I2 and (measur\$3 or regulat\$3 or analyz\$3)	USPAT	OR	OFF	2005/05/11 16:15
L4	201	(power\$1 or energy\$1) near5 consumption\$1 same (fluid\$1 near5 mass\$1 or hvac\$1 or irrigation\$1 or fuel\$1 near5 distribution\$1 or ventilation\$1 or cooling\$1) same (id\$1 or identification\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:18
L5	0	I4 and interface\$1 near5 (measur\$3 or analyz\$3 or regulat\$4 or adjust\$3) near5 (temperature\$1 or humidity\$1 or airflow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:20
L6	0	I4 and (bus\$1 or serial\$1 or interface\$1) near15 (measur\$3 or analyz\$3 or regulat\$4 or adjust\$3) near15 (temperature\$1 or humidity\$1 or airflow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:21

L7	33	I4 and (bus\$1 or serial\$1 or interface\$1) and (measur\$3 or analyz\$3 or regulat\$4 or adjust\$3) near15 (temperature\$1 or humidity\$1 or airflow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 17:07
L8	1	("5572438").PN.	USPAT	OR	OFF	2005/05/11 17:09
L9	2	((("5572438") or ("6216956")).PN.	USPAT	OR	OFF	2005/05/11 17:09
L10	2	I9 and (id\$1 or identification\$1)	USPAT	OR	OFF	2005/05/11 17:10
L11	2	I10 and temperature\$1	USPAT	OR	OFF	2005/05/11 17:25
L12	2	I9 and measur\$3	USPAT	OR	OFF	2005/05/11 17:28
L13	2	I9 and (regulat\$3 or analyz\$3 or measur\$3)	USPAT	OR	OFF	2005/05/11 17:29

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4707	measur\$4 near5 reference\$1 near5 temperature\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:04
L2	542	l1 and heater\$1 near5 temperature\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:05
L3	407	l2 and difference\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:05
L4	370	l3 and (value\$1 or threshold\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:06
L5	65	l4 and cool\$4 near5 time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:06
L6	5	l5 and airflow\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:16
L7	10437642	determin\$1 near5 difference\$1 between reference\$1 near5 temperature\$1 near5 heater\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:18
L8	3	determin\$1 near5 difference\$1 same reference\$1 near5 temperature\$1 near5 heater\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 20:18